



DISCIPLINA SPORTIVA ASSOCIATA RICONOSCIUTA DAL **CONI**

Arsenal



Firearms

3° WARM UP

APRIL 04-05-06 2025

Shooting Range Le Tre Piume

Agna (PD)

IPSC LEVEL III 14 STAGES – 268 ROUNDS – 1340 POINTS MATCH DIRECTOR Eugenio Fasulo







INFO MATCH

| Match Director: | By FITDS |
|------------------|---|
| Mobile: | Eugenio Fasulo |
| E-mail: | segreteria@fitds.it |
| Registrations: | Online Match Registration at: <u>WWW.FITDS.IT</u> MA.RE. Match Registration |
| Rules: | FITDS-IPSC Rulebook Last Edition |
| Rankings: | Open, Standard, Production, Classic, Revolver, Production Optics, PCC |
| Awards: | Absolutes – Category and class |
| Ammunition: | Free all types of ammunition by the shooter – Armory on the Shooting Range |
| Food and drinks: | At the Shooting Range there are a restaurant and a refreshment stand |
| Turns: | Pre Match: Thursday – Main Match: Friday – Saturday - Sunday |
| Timing: | Main Match Briefing: 07:45 AM; start 08:00 AM |
| Range Master: | Sergio Fontanelli |
| Range Officer: | By S.A.F.R.O. |

All shooters must be in good standing with permits to carry and use their weapons and ammunition. The organization disclaims any responsibility for non-compliance with the regulations of the Law in force. Compliance with the Regulations in force regarding clothing and accessory requirements is reminded.



GENERAL INFO

HOTELS

POINT HOTEL Via Dell'industria 2 - 35026 Conselve (PD) tel. 049/2129287

HOTEL LA CORTE Via Petit Foret 6 - 35020 Correzzola (PD) tel. 049/5807277

COUNTRY HOUSE CAMPOFIORE Via Isola Terranova 506 - 35029 Pontelongo (PD) cell. 3336482775

CASA SANSOVINO Via Sansovino 1 - 35020 Pontecasale (PD) cell. 3288746494

RESTAURANTS

Centro Sportivo Le Tre Piume Via Costanze n. 8 - 35021 Agna (PD) - tel. 049/9515388



EVENT SPONSOR

Arsenal




Firearms



MATCH PROFILE


| STAGE | EXERCISE TYPE | IPSC TARGETS | IPSC MINI TARGETS | IPSC POPPERS | IPSC MINI POPPERS | IPSC METAL PLATES | NO- SHOOTS | ROUNDS | MAX POINTS | STAGE % |
|-------|------------------|-----------------|----------------------|-----------------|----------------------|-------------------------|---------------|--------|---------------|---------|
| 1 | MEDIUM COURSE | 10 | | | 4 | | 2 | 24 | 120 | 8,95% |
| 2 | MEDIUM COURSE | 10 | | | 2 | 2 | 1 | 24 | 120 | 8,95% |
| 3 | LONG COURSE | 14 | | | 3 | 1 | 1 | 32 | 160 | 11,94% |
| 4 | SHORT COURSE | 5 | | | 1 | 1 | | 12 | 60 | 4,48% |
| 5 | SHORT COURSE | 4 | | | 2 | 2 | 1 | 12 | 60 | 4,48% |
| 6 | MEDIUM COURSE | 11 | | | 2 | | | 24 | 120 | 8,95% |
| 7 | MEDIUM COURSE | 12 | | | | | | 24 | 120 | 8,95% |
| 8 | LONG COURSE | 14 | | | 4 | | | 32 | 160 | 11,94% |
| 9 | SHORT COURSE | 5 | | | 1 | 1 | | 12 | 60 | 4,48% |
| 10 | SHORT COURSE | 4 | | | 2 | 2 | 1 | 12 | 60 | 4,48% |
| 11 | SHORT COURSE | 5 | | | 1 | 1 | 1 | 12 | 60 | 4,48% |
| 12 | MEDIUM COURSE | 10 | | | | 4 | | 24 | 120 | 8,95% |
| 13 | SHORT COURSE | 4 | | | 2 | 2 | 1 | 12 | 60 | 4,48% |
| 14 | SHORT COURSE | 5 | | | 2 | | | 12 | 60 | 4,48% |
| το | TALI | 113 | | | 26 | 16 | 8 | 268 | 1340 | 100% |






| Туре: | Medium Course | Targets: | | | | | |
|-----------------------------|--|---|------------|--------------------------|----|--|--|
| Minumum number of rounds: | 24 | IPSC Targets | 10 | IPSC Mini Targets | | | |
| Maximum Points: | 120 | IPSC Poppers | | IPSC Mini Poppers | 4 | | |
| | | IPSC Metal Plates | | | | | |
| Start: | Audible Signal | No-Shoots | 2 | | | | |
| Start Position: | Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard | | | | | | |
| Firearm Ready Condition: | | LOADED - OPTIC | ON 1 | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | | |
| Design Notes: | IMP2 activates IT5 S | Swinger which will remain v | visible at | the end of the movemen | nt | | |
| Briefing Notes: | | lateral and the backstops luring the execution of the shooter to verify the sco | exercise | ; Shooter may delegate (| | | |






| Туре: | Medium Course | Targets: | | | | | |
|-----------------------------|--|---|-----------|------------------------|---|--|--|
| Minumum number of rounds: | 24 | IPSC Targets | 10 | IPSC Mini Targets | | | |
| Maximum Points: | 120 | IPSC Poppers | | IPSC Mini Poppers | 2 | | |
| | | IPSC Metal Plates | 2 | | | | |
| Start: | Audible Signal | No-Shoots | 1 | | | | |
| Start Position: | Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard | | | | | | |
| Firearm Ready Condition: | | LOADED - OPTIC | ON 1 | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | | |
| Design Notes: | | | | | | | |
| Briefing Notes: | | lateral and the backstops during the execution of the shooter to verify the scc | exercise | ; Shooter may delegate | | | |






| Туре: | Long Course | Targets: | | | | | |
|-----------------------------|--|--|-----------|---------------------------|---|--|--|
| Minumum number of rounds: | 32 | IPSC Targets | 14 | IPSC Mini Targets | | | |
| Maximum Points: | 160 | IPSC Poppers | | IPSC Mini Poppers | 3 | | |
| | | IPSC Metal Plates | 1 | | | | |
| Start: | Audible Signal | No-Shoots | 1 | | | | |
| Start Position: | Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard | | | | | | |
| Firearm Ready Condition: | | LOADED - OPTIC | DN 1 | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | | |
| Design Notes: | | | | | | | |
| Briefing Notes: | | lateral and the backstops uring the execution of the shooter to verify the sco | exercise | ; Shooter may delegate of | | | |






| Туре: | Short Course | Targets: | | | | | |
|-----------------------------|--|---|------------|------------------------|----|--|--|
| Minumum number of rounds: | 12 | IPSC Targets | 5 | IPSC Mini Targets | | | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 1 | | |
| | | IPSC Metal Plates | 1 | | | | |
| Start: | Audible Signal | No-Shoots | | | | | |
| Start Position: | Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard | | | | | | |
| Firearm Ready Condition: | | LOADED - OPTI | ON 1 | | | | |
| Procedure: | | Upon start signal engag | ge the tar | gets | | | |
| Design Notes: | IMP1 activates l | 13 Swinger which will remain | visible at | the end of the moveme | nt | | |
| Briefing Notes: | | 90° lateral and the backstops d during the execution of the shooter to verify the sco | exercise | ; Shooter may delegate | | | |






| Туре: | Short Course | Targets: | | | | | |
|-----------------------------|--|---|------------|---------------------------|--------|--|--|
| Minumum number of rounds: | 12 | IPSC Targets | 4 | IPSC Mini Targets | | | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 2 | | |
| | | IPSC Metal Plates | 2 | | | | |
| Start: | Audible Signal | No-Shoots | 1 | | | | |
| Start Position: | Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard | | | | | | |
| Firearm Ready Condition: | | LOADED - OPTIC | ON 1 | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | | |
| Design Notes: | IMP1 activates IPL1 and | IPL2 Swingers which will ren | nain visik | ble at the end of the mov | vement | | |
| Briefing Notes: | | lateral and the backstops during the execution of the shooter to verify the sco | exercise | ; Shooter may delegate | | | |






| Туре: | Medium Course | Targets: | | | |
|-----------------------------|---------------------------|--|------------|----------------------------|---------|
| Minumum number of rounds: | 24 | IPSC Targets | 11 | IPSC Mini Targets | |
| Maximum Points: | 120 | IPSC Poppers | | IPSC Mini Poppers | 2 |
| | | IPSC Metal Plates | | | |
| Start: | Audible Signal | No-Shoots | | | |
| Start Position: | stock touching the co | ect, with the firearm in the mpetitor at hip level, barrel pointing downrange with the pointing downrange with the second sec | l parallel | to the ground, trigger gu | ard |
| Firearm Ready Condition: | | LOADED - OPTIC | DN 1 | | |
| Procedure: | | Upon start signal engag | e the tar | gets | |
| Design Notes: | IMP1 and IMP2 activates I | 4 and IT7 Swingers, respec of the moveme | • • | hich will remain visible a | the end |
| Briefing Notes: | | lateral and the backstops luring the execution of the shooter to verify the sco | exercise | ; Shooter may delegate | |






| Туре: | Medium Course | Targets: | | | | |
|-----------------------------|--|-------------------------|-----------|---|--|--|
| Minumum number of rounds: | 24 | IPSC Targets | 12 | IPSC Mini Targets | | |
| Maximum Points: | 120 | IPSC Poppers | | IPSC Mini Poppers | | |
| | | IPSC Metal Plates | | | | |
| Start: | Audible Signal | No-Shoots | | | | |
| Start Position: | Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard | | | | | |
| Firearm Ready Condition: | | LOADED - OPTIC | DN 1 | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | |
| Design Notes: | | | | | | |
| Briefing Notes: | | | exercise | y. Structures are hard cover. The ; Shooter may delegate other ing. | | |






| Туре: | Long Course | Targets: | | | | | |
|-----------------------------|--|--|-----------|------------------------|----|--|--|
| Minumum number of rounds: | 32 | IPSC Targets | 14 | IPSC Mini Targets | | | |
| Maximum Points: | 160 | IPSC Poppers | | IPSC Mini Poppers | 4 | | |
| | | IPSC Metal Plates | | | | | |
| Start: | Audible Signal | No-Shoots | | | | | |
| Start Position: | Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard | | | | | | |
| Firearm Ready Condition: | | LOADED - OPTIC | ON 1 | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | | |
| Design Notes: | IMP2 activates IT5 | 5 Swinger which will remain v | isible at | the end of the moveme | nt | | |
| Briefing Notes: | | 0° lateral and the backstops I during the execution of the shooter to verify the sco | exercise | ; Shooter may delegate | | | |





| Туре: | Short Course | Targets: | | | | |
|-----------------------------|--|---|------------|------------------------|----|--|
| Minumum number of rounds: | 12 | IPSC Targets | 5 | IPSC Mini Targets | | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 1 | |
| | | IPSC Metal Plates | 1 | | | |
| Start: | Audible Signal | No-Shoots | | | | |
| Start Position: | Standing anywhere erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard | | | | | |
| Firearm Ready Condition: | | LOADED - OPTIC | ON 1 | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | |
| Design Notes: | IMP1 activates IT3 | Swinger which will remain v | visible at | the end of the movemer | nt | |
| Briefing Notes: | | ° lateral and the backstops during the execution of the shooter to verify the sco | exercise | ; Shooter may delegate | | |






| Туре: | Short Course | Targets: | | | | | |
|-----------------------------|--|---|------------|--------------------------|----|--|--|
| Minumum number of rounds: | 12 | IPSC Targets | 4 | IPSC Mini Targets | | | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 2 | | |
| | | IPSC Metal Plates | 2 | | | | |
| Start: | Audible Signal | No-Shoots | 1 | | | | |
| Start Position: | Sitting on the chair as shown, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard | | | | | | |
| Firearm Ready Condition: | | LOADED - OPTIC | ON 2 | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | | |
| Design Notes: | IMP2 activates IT3 S | Swinger which will remain v | visible at | the end of the movemen | it | | |
| Briefing Notes: | | lateral and the backstops during the execution of the shooter to verify the sco | exercise | ; Shooter may delegate (| | | |






| Туре: | Short Course | Targets: | | | | | |
|--|---|----------------------------|-----------|-------------------------|---|--|--|
| Minumum number of rounds: | 12 | IPSC Targets | 5 | IPSC Mini Targets | | | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 1 | | |
| | | IPSC Metal Plates | 1 | | | | |
| Start: | Audible Signal | No-Shoots | 1 | | | | |
| Start Position: Start Position: Tips of the feet touching the marks as shown, standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard | | | | | | | |
| Firearm Ready Condition: | | UNLOADED - OPT | ION 3 | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | | |
| Design Notes: | IMP1 activates IT3 S | winger which will remain v | isible at | the end of the movement | | | |
| Briefing Notes: | The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting. | | | | | | |






| Туре: | Medium Course | Targets: | | | |
|--|--------------------|---|----------------------------|----------------------------|-------|
| Minumum number of rounds: | 24 | IPSC Targets | 10 | IPSC Mini Targets | |
| Maximum Points: | 120 | IPSC Poppers | | IPSC Mini Poppers | 4 |
| | | IPSC Metal Plates | | | |
| Start: | Audible Signal | No-Shoots | | | |
| Start Position: Firearm Ready Condition: | stock touching th | ere erect, with the firearm in the competitor at hip level, bar uzzle pointing downrange with LOADED - OP | rel paralle 1 the finge | I to the ground, trigger g | uard |
| Procedure: | | Upon start signal engo | ige the tai | gets | |
| Design Notes: | IMP2 activates IT7 | and IT8 Swingers which will re | main visib | le at the end of the move | ement |
| Briefing Notes: | | e 90° lateral and the backstop ited during the execution of th shooter to verify the so | e exercise | ; Shooter may delegate | |





| Туре: | Short Course | Targets: | | | | | |
|--|----------------|--|-----------|--------------------------|---|--|--|
| Minumum number of rounds: | 12 | IPSC Targets | 4 | IPSC Mini Targets | | | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 2 | | |
| | | IPSC Metal Plates | 2 | | | | |
| Start: | Audible Signal | No-Shoots | 1 | | | | |
| Standing anywhere erect, with the firearm in the ready condition, held in both hands, Start Position: stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard | | | | | | | |
| Firearm Ready Condition: | | LOADED - OPTIC | ON 1 | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | | |
| Design Notes: | | | | | | | |
| Briefing Notes: | | lateral and the backstops uring the execution of the shooter to verify the sco | exercise | ; Shooter may delegate o | | | |





| Туре: | Short Course | Targets: | | | | | |
|--|---|--|-----------|--------------------------|---|--|--|
| Minumum number of rounds: | 12 | IPSC Targets | 5 | IPSC Mini Targets | | | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 2 | | |
| | | IPSC Metal Plates | | | | | |
| Start: | Audible Signal | No-Shoots | - | | | | |
| Standing anywhere erect, with the firearm in the ready condition, held in both hands, Start Position: stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard | | | | | | | |
| Firearm Ready Condition: | | LOADED - OPTIC | ON 1 | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | | |
| Design Notes: | IMP1 activates IT1 Swinger which will remain visible at the end of the movement. Any rod that is dropped from the copper tunnel will result in a procedura as per rule 10.2.5 | | | | | | |
| Briefing Notes: | | lateral and the backstops uring the execution of the shooter to verify the sco | exercise | ; Shooter may delegate o | | | |





DISCIPLINA SPORTIVA ASSOCIATA RICONOSCIUTA DAL **CONI**

Arsenal



Firearms

3° WARM UP

APRIL 04-05-06 2025

Shooting Range Le Tre Piume

Agna (PD)

IPSC LEVEL III 14 STAGES – 268 ROUNDS – 1340 POINTS MATCH DIRECTOR Eugenio Fasulo







INFO MATCH

| Match Director: | Eugenio Fasulo |
|------------------|---|
| Mobile: | |
| E-mail: | segreteria@fitds.it |
| Registrations: | Online Match Registration at: <u>WWW.FITDS.IT</u> MA.RE. Match Registration |
| Rules: | FITDS-IPSC Rulebook Last Edition |
| Rankings: | Open, Standard, Production, Classic, Revolver, Production Optics, PCC |
| Awards: | Absolutes – Category and class |
| Ammunition: | Free all types of ammunition by the shooter – Armory on the Shooting Range |
| Food and drinks: | At the Shooting Range there are a restaurant and a refreshment stand |
| Turns: | Pre Match: Thursday – Main Match: Friday – Saturday - Sunday |
| Timing: | Main Match Briefing: 07:45 AM; start 08:00 AM |
| Range Master: | Sergio Fontanelli |
| Range Officer: | By S.A.F.R.O. |

All shooters must be in good standing with permits to carry and use their weapons and ammunition. The organization disclaims any responsibility for non-compliance with the regulations of the Law in force. Compliance with the Regulations in force regarding clothing and accessory requirements is reminded.



GENERAL INFO

HOTELS

POINT HOTEL Via Dell'industria 2 - 35026 Conselve (PD) tel. 049/2129287

HOTEL LA CORTE Via Petit Foret 6 - 35020 Correzzola (PD) tel. 049/5807277

COUNTRY HOUSE CAMPOFIORE Via Isola Terranova 506 - 35029 Pontelongo (PD) cell. 3336482775

CASA SANSOVINO Via Sansovino 1 - 35020 Pontecasale (PD) cell. 3288746494

RESTAURANTS

Centro Sportivo Le Tre Piume Via Costanze n. 8 - 35021 Agna (PD) - tel. 049/9515388



EVENT SPONSOR

Arsenal




Firearms



MATCH PROFILE


| STAGE | EXERCISE TYPE | IPSC TARGETS | IPSC MINI TARGETS | IPSC POPPERS | IPSC MINI POPPERS | IPSC METAL PLATES | NO- SHOOTS | ROUNDS | MAX POINTS | STAGE % |
|-------|------------------|-----------------|----------------------|-----------------|----------------------|-------------------------|---------------|--------|---------------|---------|
| 1 | MEDIUM COURSE | 10 | | | 4 | | 2 | 24 | 120 | 8,95% |
| 2 | MEDIUM COURSE | 10 | | | 2 | 2 | 1 | 24 | 120 | 8,95% |
| 3 | LONG COURSE | 14 | | | 3 | 1 | 1 | 32 | 160 | 11,94% |
| 4 | SHORT COURSE | 5 | | | 1 | 1 | | 12 | 60 | 4,48% |
| 5 | SHORT COURSE | 4 | | | 2 | 2 | 1 | 12 | 60 | 4,48% |
| 6 | MEDIUM COURSE | 11 | | | 2 | | | 24 | 120 | 8,95% |
| 7 | MEDIUM COURSE | 12 | | | | | | 24 | 120 | 8,95% |
| 8 | LONG COURSE | 14 | | | 4 | | | 32 | 160 | 11,94% |
| 9 | SHORT COURSE | 5 | | | 1 | 1 | | 12 | 60 | 4,48% |
| 10 | SHORT COURSE | 4 | | | 2 | 2 | 1 | 12 | 60 | 4,48% |
| 11 | SHORT COURSE | 5 | | | 1 | 1 | 1 | 12 | 60 | 4,48% |
| 12 | MEDIUM COURSE | 10 | | | | 4 | | 24 | 120 | 8,95% |
| 13 | SHORT COURSE | 4 | | | 2 | 2 | 1 | 12 | 60 | 4,48% |
| 14 | SHORT COURSE | 5 | | | 2 | | | 12 | 60 | 4,48% |
| το | TALI | 113 | | | 26 | 16 | 8 | 268 | 1340 | 100% |






| Туре: | Medium Course | Targets: | | | | | |
|-----------------------------|---|----------------------------|-----------|-------------------------|---|--|--|
| Round to be scored: | 24 | IPSC Targets | 10 | IPSC Mini Targets | | | |
| Maximum Points: | 120 | IPSC Poppers | | IPSC Mini Poppers | 4 | | |
| | | IPSC Metal Plates | | | | | |
| Start: | Audible Signal | No-Shoots | 2 | | | | |
| Start Position: | Anywhere in the shooting area | | | | | | |
| Handgun Ready Condition: | | | | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | | |
| Design Notes: | IMP2 activates IT5 S | winger which will remain v | isible at | the end of the movement | | | |
| Briefing Notes: | The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting. | | | | | | |






| Туре: | Medium Course | Targets: | | | | | |
|-----------------------------|---|-------------------------|-----------|-------------------|---|--|--|
| Round to be scored: | 24 | IPSC Targets | 10 | IPSC Mini Targets | | | |
| Maximum Points: | 120 | IPSC Poppers | | IPSC Mini Poppers | 2 | | |
| | | IPSC Metal Plates | 2 | | | | |
| Start: | Audible Signal | No-Shoots | 1 | | | | |
| Start Position: | Anywhere in the shooting area | | | | | | |
| Handgun Ready Condition: | | | | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | | |
| Design Notes: | | | | | | | |
| Briefing Notes: | The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting. | | | | | | |






| Туре: | Long Course | Targets: | | | | |
|-----------------------------|---|-------------------------|------------|-------------------|---|--|
| Round to be scored: | 32 | IPSC Targets | 14 | IPSC Mini Targets | | |
| Maximum Points: | 160 | IPSC Poppers | | IPSC Mini Poppers | 3 | |
| | | IPSC Metal Plates | 1 | | | |
| Start: | Audible Signal | No-Shoots | 1 | | | |
| Start Position: | | Anywhere in the shoc | oting area | 1 | | |
| Handgun Ready Condition: | | | | | | |
| Procedure: | | Upon start signal engag | e the tarç | gets | | |
| Design Notes: | | | | | | |
| Briefing Notes: | The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting. | | | | | |






| Туре: | Short Course | Targets: | | | | |
|-----------------------------|---|----------------------------|------------|-------------------------|---|--|
| Round to be scored: | 12 | IPSC Targets | 5 | IPSC Mini Targets | | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 1 | |
| | | IPSC Metal Plates | 1 | | | |
| Start: | Audible Signal | No-Shoots | | | | |
| Start Position: | Anywhere in the shooting area | | | | | |
| Handgun Ready Condition: | | | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | |
| Design Notes: | IMP1 activates IT3 S | winger which will remain v | visible at | the end of the movement | | |
| Briefing Notes: | The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting. | | | | | |






| Туре: | Short Course | Targets: | | | | | |
|-----------------------------|---|-----------------------------|------------|---------------------------|------|--|--|
| Round to be scored: | 12 | IPSC Targets | 4 | IPSC Mini Targets | | | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 2 | | |
| | | IPSC Metal Plates | 2 | | | | |
| Start: | Audible Signal | No-Shoots | 1 | | | | |
| Start Position: | Anywhere in the shooting area | | | | | | |
| Handgun Ready Condition: | | | | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | | | |
| Design Notes: | IMP1 activates IPL1 and I | PL2 Swingers which will ren | nain visib | le at the end of the move | ment | | |
| Briefing Notes: | The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting. | | | | | | |






| Туре: | Medium Course | Targets: | | | | |
|-----------------------------|---|---|------------|-------------------------------|--------|--|
| Round to be scored: | 24 | IPSC Targets | 11 | IPSC Mini Targets | | |
| Maximum Points: | 120 | IPSC Poppers | | IPSC Mini Poppers | 2 | |
| | | IPSC Metal Plates | | | | |
| Start: | Audible Signal | No-Shoots | | | | |
| Start Position: | | Anywhere in the shoc | oting area | 2 | | |
| Handgun Ready Condition: | | | | | | |
| Procedure: | | Upon start signal engag | e the tarç | gets | | |
| Design Notes: | IMP1 and IMP2 activates IT | 4 and IT7 Swingers, respec of the moveme | • • | nich will remain visible at t | he end | |
| Briefing Notes: | The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting. | | | | | |






| Туре: | Medium Course | Targets: | | |
|-----------------------------|----------------|-------------------------|------------|---|
| Round to be scored: | 24 | IPSC Targets | 12 | IPSC Mini Targets |
| Maximum Points: | 120 | IPSC Poppers | | IPSC Mini Poppers |
| | | IPSC Metal Plates | | |
| Start: | Audible Signal | No-Shoots | | |
| Start Position: | | Anywhere in the shoc | oting area | 2 |
| Handgun Ready Condition: | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets |
| Design Notes: | | | | |
| Briefing Notes: | | | exercise | y. Structures are hard cover. The ; Shooter may delegate other ing. |






| Туре: | Long Course | Targets: | | | |
|-----------------------------|---|----------------------------|-------------|-------------------------|---|
| Round to be scored: | 32 | IPSC Targets | 14 | IPSC Mini Targets | |
| Maximum Points: | 160 | IPSC Poppers | | IPSC Mini Poppers | 4 |
| | | IPSC Metal Plates | | | |
| Start: | Audible Signal | No-Shoots | | | |
| Start Position: | | Anywhere in the shoc | oting area | 1 | |
| Handgun Ready Condition: | | | | | |
| Procedure: | | Upon start signal engag | e the tarç | gets | |
| Design Notes: | IMP2 activates IT5 S | winger which will remain v | isible at t | the end of the movement | |
| Briefing Notes: | The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting. | | | | |






| Туре: | Short Course | Targets: | | | |
|-----------------------------|---|----------------------------|------------|-------------------------|---|
| Round to be scored: | 12 | IPSC Targets | 5 | IPSC Mini Targets | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 1 |
| | | IPSC Metal Plates | 1 | | |
| Start: | Audible Signal | No-Shoots | | | |
| Start Position: | | Anywhere in the shoc | oting area | a | |
| Handgun Ready Condition: | | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | |
| Design Notes: | IMP1 activates IT3 S | winger which will remain v | visible at | the end of the movement | |
| Briefing Notes: | The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting. | | | | |






| Туре: | Short Course | Targets: | | | |
|--|--------------------------------------|-------------------|---|-------------------|---|
| Round to be scored: | 12 | IPSC Targets | 4 | IPSC Mini Targets | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 2 |
| | | IPSC Metal Plates | 2 | | |
| Start: | Audible Signal | No-Shoots | 1 | | |
| Start Position: | Sitting on the chair as shown | | | | |
| Handgun Ready Condition: | Chamber empty, magazine inserted | | | | |
| Procedure: | Upon start signal engage the targets | | | | |
| Design Notes: IMP2 activates IT3 Swinger which will remain visible at the end of the movement | | | | | |
| Briefing Notes:The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting. | | | | | |






| Туре: | Short Course | Targets: | | | | |
|-----------------------------|---|-------------------|---|-------------------|---|--|
| Round to be scored: | 12 | IPSC Targets | 5 | IPSC Mini Targets | | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 1 | |
| | | IPSC Metal Plates | 1 | | | |
| Start: | Audible Signal | No-Shoots | 1 | | | |
| Start Position: | n: Tips of the feet touching the marks as shown | | | | | |
| Handgun Ready Condition: | Chamber and magwell empty | | | | | |
| Procedure: | Upon start signal engage the targets | | | | | |
| Design Notes: | Notes: IMP1 activates IT3 Swinger which will remain visible at the end of the movement | | | | | |
| Briefing Notes: | The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting. | | | | | |






| Туре: | Medium Course | Targets: | | | |
|-----------------------------|---|----------------------------|------------|---------------------------|------|
| Round to be scored: | 24 | IPSC Targets | 10 | IPSC Mini Targets | |
| Maximum Points: | 120 | IPSC Poppers | | IPSC Mini Poppers | 4 |
| | | IPSC Metal Plates | | | |
| Start: | Audible Signal | No-Shoots | | | |
| Start Position: | | Anywhere in the shoc | oting area | 2 | |
| Handgun Ready Condition: | | | | | |
| Procedure: | | Upon start signal engag | e the tar | gets | |
| Design Notes: | IMP2 activates IT7 and I | 18 Swingers which will rem | ain visibl | e at the end of the moven | nent |
| Briefing Notes: | The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting. | | | | |





| Type: | Short Course | Targets: | | | |
|-----------------------------|----------------|------------------------------|-------------|-------------------|---|
| Round to be scored: | 12 | IPSC Targets | 4 | IPSC Mini Targets | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 2 |
| | | IPSC Metal Plates | 2 | | |
| Start: | Audible Signal | No-Shoots | 1 | | |
| Start Position: | | Anywhere in the sh | ooting are | a | |
| Handgun Ready Condition: | | | | | |
| Procedure: | Upon s | tart signal engage the targe | ts only wit | n the strong hand | |
| | | | | | |
| Design Notes: | | | | | |





| Туре: | Short Course | Targets: | | | |
|-----------------------------|---|---|------------|-------------------|-----------|
| Round to be scored: | 12 | IPSC Targets | 5 | IPSC Mini Targets | |
| Maximum Points: | 60 | IPSC Poppers | | IPSC Mini Poppers | 2 |
| | | IPSC Metal Plates | | | |
| Start: | Audible Signal | No-Shoots | | | |
| Start Position: | | Anywhere in the shoc | oting area | 1 | |
| Handgun Ready Condition: | | | | | |
| Procedure: | | Upon start signal engag | e the tarç | gets | |
| Design Notes: | IMP1 activates IT1 Swinger dropped from the | which will remain visible at e copper tunnel will result i | | • | d that is |
| Briefing Notes: | The safety angles are 90° lateral and the backstops vertically. Structures are hard cover. The score will be counted during the execution of the exercise; Shooter may delegate other shooter to verify the score counting. | | | | |